Notice of Allowability	Application No.	Applicant(s)
	09/890,711	KASADA ET AL.
	Examiner	Art Unit
	Martin J. Angebranndt	1795
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>9/26/07</u> .		
2. ☑ The allowed claim(s) is/are 10,11 and 18.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Opies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
AM-strong (s)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
		MARTIN ANGEBRANNDT PRIMARY EXAMINER GROUP 1100 (375)

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)

Page 2

Art Unit: 1795

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anne M. Kornbau (25,884) on October 12, 2007.

The application has been amended as follows:

In the amended claims of 9/26/07 (entered)

In claim 10, at lines 2-3, please replace "but not substantially absorbs visible light with a wavelength of over 600 nm and" with - - which- - .

In claim 10, at line 12, please replace "pit" with - - pitch- -.

2. The following is an examiner's statement of reasons for allowance: The prior art evidences the styryl dyes having absorption maxima at wavelengths of ~425 nm in JP 05-038878 and there is no evidence that the dyes of JP 60-083892 meet this limitation. Further as disclosed laser (HeCd) operates at 442 nm, there is no motivation to have the absorption maximum more than 40 nm from this, but rather from the standpoint of sensitivity it would be best of the laser and the absorption maxima were the same.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/890,711

Art Unit: 1795

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Martin J. Angebranndt whose telephone number is 571-272-1378.

The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mark Huff can be reached on 571-272-1385. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Martin / Angebranndt

Page 3

Primary Examiner

Art Unit 1795

10/12/2007